

# Contents

---

	<u>Page</u>
<b>Changes</b> .....	ix

## Section 1: Introduction

Chapter 1: Background .....	1-1
Chapter 2: The CICS Component of CPExpert .....	1-3
Chapter 3: Data Sources .....	1-9

## Section 2: Installing the CICS Component

## Section 3: Specifying Guidance Variables

Chapter 1: Data Selection and Presentation Variables .....	3-2
Chapter 1.1: Specifying SAS library containing CICS data .....	3-5
Chapter 1.2: Specifying standard MXG CICS data sets .....	3-5
Chapter 1.3: Specifying library.file for MXG data sets .....	3-5
Chapter 1.4: EXTRACT variable .....	3-6
Chapter 1.5: CICDATES and CICTIMES variables .....	3-6
Chapter 1.6: CICDATEE and CICTIMEE variables .....	3-7
Chapter 1.7: CICDAT2S and CICTIM2S variables .....	3-7
Chapter 1.8: CICDAT2E and CICTIM2E variables .....	3-7
Chapter 1.9: SHIFT variable .....	3-8
Chapter 1.10: SYSTEM variable .....	3-8
Chapter 1.11: SYSTEMn variable(s) .....	3-9
Chapter 1.12: Analyzing all CICS regions in PDB (ALL_CICS variable) .....	3-10
Chapter 1.13: CICS region(s) to analyze - APPLIDn variable .....	3-10
Chapter 1.14: MAXAPPL variable .....	3-11
Chapter 1.15: LISTOFF and LISTGDE variables .....	3-12
Chapter 1.16: Produce summary of rules - CICSUMRY variable .....	3-13
Chapter 1.17: Produce summary by system - CICS_SYS variable .....	3-13
Chapter 1.18: SAS Output Delivery System (ODS) .....	3-13
Chapter 1.18.1: SAS ODS - SYS_FRAM variable .....	3-14
Chapter 1.18.2: SAS ODS - SYS_PATH variable .....	3-15
Chapter 1.18.3: SAS ODS - SYS_CONT variable .....	3-15
Chapter 1.18.4: SAS ODS - SYS_BODY variable .....	3-16

Page	
Chapter 2: Analysis Guidance Variables . . . . .	3-17
Chapter 2.1: Specifying Production or Test Region . . . . .	3-21
Chapter 2.2: Specifying guidance for regions - GUIDE variable . . . . .	3-21
Chapter 2.3: Identifying regions with guidance - applid_x=GUIDE . . . . .	3-21
Chapter 2.4: Analyze CICS report classes - RPTCLASS variable . . . . .	3-21
Chapter 2.5: CICS report classes to analyze - RPRTn variable . . . . .	3-23
Chapter 2.6: Guidance for CICS report classes - RPTGUIDE variable . . . . .	3-23
Chapter 2.7: Identifying CICS report classes with guidance - report_class_x=GUIDE . . . . .	3-23
Chapter 2.8: Turning OFF CICS Component Rules . . . . .	3-24
Chapter 2.9: Times at MXT - MAXTASK variable . . . . .	3-24
Chapter 2.10: Times at AMXT - AMAXTASK variable . . . . .	3-25
Chapter 2.11: Times at CMXT - CMAXn variables . . . . .	3-25
Chapter 2.12: Times at MAXACTIVE - tclassname variables . . . . .	3-26
Chapter 2.13: Failed ALLOCATE Requests - ALLOCF variable . . . . .	3-27
Chapter 2.14: Unsuccessful ALLOCATEs - ALLOCQ variable . . . . .	3-28
Chapter 2.15: CICS workload used excess CPU - CPUWARN variable . . . . .	3-29
Chapter 2.16: Tasks waiting for DL/I threads - DLIWAIT variable . . . . .	3-30
Chapter 2.17: IMS ENQ pool space used - ENQPOOL variable . . . . .	3-30
Chapter 2.18: CICS-DB2 Entry tasks abended no thread - ENTRABND . . . . .	3-31
Chapter 2.19: CICS-DB2 Entry tasks overflowed to Pool - ENTRFLOW . . . . .	3-31
Chapter 2.20: CICS-DB2 tasks on Entry Ready Queue - ENTRYRDQ . . . . .	3-32
Chapter 2.21: Percent unnecessary UPDATE - PCTFCUPD variable . . . . .	3-32
Chapter 2.22: Number of GETMAINs - GETMAIN variable . . . . .	3-33
Chapter 2.23: "Buffer full" for user journals - JCBUFUL variable . . . . .	3-33
Chapter 2.24: Look-aside read hit - LSRHITD and LSRHITI variables . . . . .	3-34
Chapter 2.25: Inactive pool - LSRINACT variable . . . . .	3-35
Chapter 2.26: % I/O requests for LSR files - LSRIOREQ variable . . . . .	3-35
Chapter 2.27: Inactive pool - LSRUSE variable . . . . .	3-36
Chapter 2.28: Inactive subpool - LSRUSEn variables . . . . .	3-37
Chapter 2.29: Maximum open (L8) TCBs used- MXOPNTCB variable . . . . .	3-37
Chapter 2.30: Non-user buffer writes - NONUSRBF variable . . . . .	3-38
Chapter 2.31: Percent CICS-DB2 TCBs used - PCTD2TCB variable . . . . .	3-38
Chapter 2.32: Percent CICS-DB2 threads used - PCTD2THR variable . . . . .	3-39
Chapter 2.33: Percent EDSA used at peak usage - PCTEDSA variable . . . . .	3-39
Chapter 2.34: Percent EDSA used at peak usage - PCTEDSA variable . . . . .	3-39
Chapter 2.35: Percent open (L8) TCBs in use - PCTMXOPN variable . . . . .	3-40
Chapter 2.36: Active Tasks as Percent of MXT (PCTMXTHI) . . . . .	3-41
Chapter 2.37: Active Tasks as Percent of MXT (PCTMXTLO) . . . . .	3-42
Chapter 2.38: Region is approaching maximum capacity (PCTQRTCB) . . . . .	3-42
Chapter 2.39: Number of Pool threads aborted - POOLABND variable . . . . .	3-43
Chapter 2.40: Waits for IMS PSB pool space - PSBWAIT variable . . . . .	3-44
Chapter 2.41: Persistent Verification Timeouts - PVCOUNT variable . . . . .	3-44

	Page
Chapter 2.42: VTAM reached MAX RAPOOL - RAPOOL variable . . . . .	3-45
Chapter 2.43: SNT Timeouts - SNTCOUNT variable . . . . .	3-45
Chapter 2.44: Number of storage dumps - STORDUMP variable . . . . .	3-46
Chapter 2.45: Waiting for VSAM Strings - STRWAIT variable . . . . .	3-46
Chapter 2.46: Number of transaction errors - TRANSERR variable . . . . .	3-46
Chapter 2.47: Decreasing protected threads - THRDRUSE variable . . . . .	3-47
Chapter 2.48: Specify/increase protected threads - THRDTERM variable . . . . .	3-48
Chapter 2.49: Shipped terminal deletes - TRMSKDEL variable . . . . .	3-48
Chapter 2.50: % TS I/O requests buffer wait - TSIOWAIT variable . . . . .	3-49
 Chapter 3: Specifying guidance for individual CICS regions . . . . .	 3-50
Chapter 3.1: Specify GUIDE guidance variable . . . . .	3-50
Chapter 3.2: Identify specific CICS regions having unique guidance . . . . .	3-50
Chapter 3.3: Place unique guidance in USOURCE(applid) member . . . . .	3-51
Chapter 3.4: Restrictions . . . . .	3-51
 Chapter 4: Analyzing CICS report classes . . . . .	 3-52
Chapter 4.1: Implementing analysis of CICS report classes . . . . .	3-52
Chapter 4.2: Specifying guidance for individual CICS report classes . . . . .	3-53
Chapter 4.2.1: Specify RPTGUIDE guidance variable . . . . .	3-53
Chapter 4.2.2: Identify report classes having unique guidance . . . . .	3-54
Chapter 4.2.3: Place guidance in USOURCE(report_class) . . . . .	3-54
Chapter 4.2.4: Restrictions . . . . .	3-54
 Chapter 5: System Logger Analysis Guidance Variables . . . . .	 3-56
Chapter 5.1: SMF Type 88 records available - SMFTYP88 variable . . . . .	3-59
Chapter 5.2: Log stream staging data set full - LGDSFULL variable . . . . .	3-59
Chapter 5.3: Log stream DASD-shift conditions - LGSHIFTS variable . . . . .	3-60
Chapter 5.2: Percent interim storage offloaded - PCTINTST variable . . . . .	3-60
Chapter 5.3: Percent use of staging data sets - PCTLOCT variable . . . . .	3-61
Chapter 5.4: Staging data set threshold - STDSHIGH variable . . . . .	3-63
Chapter 5.5: Log stream structure 90% full - STFULL90 variable . . . . .	3-65
Chapter 5.6: Log stream Type-2 completions - STRC2 variable . . . . .	3-66
Chapter 5.7: Log stream Type-3 completions - STRC3 variable . . . . .	3-67
Chapter 5.8: Log stream CF structure full - STRFULL variable . . . . .	3-68
Chapter 5.9: Specifying guidance for specific log streams . . . . .	3-69
 Chapter 6: Shared Temporary Storage Guidance Variables . . . . .	 3-71
Chapter 6.1: Server coupling facility statistics . . . . .	3-73
Chapter 6.1.1: Times list was full - TSLSTFUL variable . . . . .	3-73
Chapter 6.1.2: List structure out of space - TSNOSPCE variable . . . . .	3-74
Chapter 6.1.3: Percent data elements in use - TSPCTELE variable . . . . .	3-75
Chapter 6.1.4: Percent list entries in use - TSPCTENT variable . . . . .	3-75

Page	
Chapter 6.1.5: Percent repeated index data reads - TSPCTIDR variable . . . . .	3-76
Chapter 6.1.6: Percent repeated list data reads - TSPCTLDR variable . . . . .	3-77
Chapter 6.1.7: Percent structure entry not found - TSPCTNOE variable . . . . .	3-78
Chapter 6.1.8: Percent requests timeout - TSPCTTIM variable . . . . .	3-79
Chapter 6.1.9: Percent version check failed - TSPCTVCF variable . . . . .	3-79
Chapter 6.2: Server buffer pool statistics . . . . .	3-80
Chapter 6.2.1: Percent index buffers in use - TSPCTFBP variable . . . . .	3-80
Chapter 6.2.2: Percent LRU activity - TSPCTLRU variable . . . . .	3-81
Chapter 6.2.3: Percent buffer pool buffers used- TSPCTUSE variable . . . . .	3-81
Chapter 6.2.4: Percent wait on buffer lock - TSPCTWBL . . . . .	3-82
Chapter 6.2.5: Percent wait on buffer pool lock - TSPCTWBP . . . . .	3-83
Chapter 6.3: Pool server storage statistics . . . . .	3-84
Chapter 6.3.1: AXMPGAN request failed after retry - TSANYRQS . . . . .	3-84
Chapter 6.3.2: AXMPGLOW request failed after retry - TSLOWRQS . . . . .	3-85
Chapter 6.3.3: Low percent AXMPGAN free storage - TSPCTAMN . . . . .	3-86
Chapter 6.3.4: Percent AXMPGAN requests retried - TSPCTARC . . . . .	3-86
Chapter 6.3.5: Low percent AXMPGLOW free storage - TSPCTLMN . . . . .	3-87
Chapter 6.3.6: Percent AXMPGLOW requests retried - TSPCTLRC . . . . .	3-88
Chapter 6.4 Specifying guidance for specific shared TS pools . . . . .	3-88
 Chapter 7: Shared Data Tables and CFDT Guidance Variables . . . . .	 3-90
Chapter 7.1: Shared data table statistics guidance variables . . . . .	3-92
Chapter 7.1.1: Records not found in CICS-maintained shared data table - CICSRNF . . . . .	3-92
Chapter 7.1.2: Minimum shared data table I/O - MINSDTIO . . . . .	3-93
Chapter 7.1.3: Percent data table access to source data - PCTDTSRC . . . . .	3-93
Chapter 7.1.4: Number of times shared data table was full - SDTFULL . . . . .	3-94
Chapter 7.1.5: Records not found in UMT shared data table - UMTRNF . . . . .	3-95
Chapter 7.2: CFDT pool server coupling facility structure statistics . . . . .	3-96
Chapter 7.2.1: Times CFDT was full - CFLSTFUL variable . . . . .	3-96
Chapter 7.2.2: List structure was out of space - CFNOSPCE variable . . . . .	3-97
Chapter 7.2.3: Percent data elements in use - CFPCTELE variable . . . . .	3-98
Chapter 7.2.4: Percent list entries in use - CFPCTENT variable . . . . .	3-99
Chapter 7.2.5: Percent record not found - CFPCTRNF variable . . . . .	3-100
Chapter 7.3: Server buffer pool statistics . . . . .	3-101
Chapter 7.3.1: AXMPGAN request failed after retry - CFANYRQS . . . . .	3-102
Chapter 7.3.2: AXMPGLOW request failed after retry - CFLOWRQS . . . . .	3-102
Chapter 7.3.3: Low percent AXMPGAN free storage - CFPCTAMN . . . . .	3-103
Chapter 7.3.4: AXMPGAN requests retried - CFPCTARC . . . . .	3-103
Chapter 7.3.5: Low percent AXMPGLOW free storage - CFPCTLMN . . . . .	3-104
Chapter 7.3.6: AXMPGAN requests retried - CFPCTLRC . . . . .	3-105
Chapter 7.4 Specifying guidance for shared data tables . . . . .	3-106

	<u>Page</u>
<b>Section 4: Executing the CICS Component</b>	
Step 1. Use TSO ISPF to create the Job Control Language .....	4-1
Step 2: Make any appropriate changes to the CICGUIDE Module .....	4-4
Step 3. Execute the CICCPE Module .....	4-4
Checklist for Executing the CICS Component, Mainframe .....	4-8

## **Section 5: Using the CICS Component**

Chapter 1: Prepare guidance for the CICS Component .....	5-1
Chapter 2: Actions on a daily basis .....	5-2
Step 1: Execute the CICCPE Module .....	5-2
Step 2: Review the output from the CICCPE Module .....	5-2

## **Appendix A: Description of Rules**

	<u>Page</u>
<b>Exhibits</b>	
2-1 MXG files used by CICS Component .....	2-2
3-1 Sample Display of CPEXPERT.USOURCE(CICGUIDE) .....	3-3
3-2 Sample Display of CPEXPERT.USOURCE(CICGUIDE) .....	3-20
3-3 Default values for system logger analysis .....	3-53
3-4 Default values for shared temporary storage analysis .....	3-67
4-1 Job Control Language to execute the CICCPE Module .....	4-1